



SAFETY DATA SHEET

Heraklith® Multilayer Boards with Rock Mineral Wool

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Heraklith® Multilayer Boards with Rock Mineral Wool
Product number KI_DP_405

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Thermal and/or acoustic insulation

1.3. Details of the supplier of the safety data sheet

Supplier Knauf Insulation
Am Bahnhof
97346 Iphofen
Germany
+32 4 379 02 31
sds@knaufinsulation.com
www.knaufinsulation.com

Region UK

Country Contact Tel: +44 (0) 1744 766 666
technical.uk@knaufinsulation.com

1.4. Emergency telephone number

Emergency telephone Tel: +44 (0) 1744 766 666
(Monday - Friday, 08:00 hrs - 17:00 hrs)

Heraklith® Multilayer Boards with Rock Mineral Wool

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

2.2. Label elements

Hazard statements NC Not Classified

The following sentences and pictograms are printed on packaging

The mechanical effect of fibres in contact with skin may cause temporary itching.



<http://www.knaufinsulation.com/comfort-and-handling>

2.3. Other hazards

Specific hazards Not applicable.

Heraklith® Multilayer Boards with Rock Mineral Wool

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Rock Mineral Wool	40 - 85%
CAS number: —	EC number: 926-099-9
	REACH registration number: 01-2119472313-44-XXXX
EU index number: 650-016-00-2	
Ingredient notes:(1)	
Classification	
Not Classified	
Bonded with a mineral based cured binder	10 - 30%
CAS number: —	
Classification	
Not Classified	
Wood Spruce	5 - 30%
CAS number: —	
Ingredient notes:(1a)	
Classification	
Not Classified	

The full text for all hazard statements is displayed in Section 16.

Ingredient notes

(1) 650-016-00-2 - Man made vitreous (silicate) fibres with random orientation with alkaline oxide and alkali earth oxide (Na₂O+K₂O+CaO+MgO+BaO) content greater than 18% by weight meeting the requirements of Note Q of regulation n° 1272/2008 and therefore not classified carcinogenicity.

(1a) Wood Wool - A non hazardous ingredient.

CAS: Chemical Abstracts Service.

Heraklith® REACH Registration number: Not applicable.

Other information

Possible facing materials: Glass veil with binder

Heraklith® Multilayer Boards with Rock Mineral Wool

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove from exposure. Rinse the throat and clear dust from airways.
Ingestion	Drink plenty of water if accidentally ingested.
Skin contact	If mechanical irritation occurs, remove contaminated clothing and wash skin gently with cold water and soap.
Eye contact	Do not rub. Rinse thoroughly with water and seek medical attention if necessary.

4.2. Most important symptoms and effects, both acute and delayed

General information	The mechanical effect of fibres in contact with skin may cause temporary itching.
----------------------------	---

4.3. Indication of any immediate medical attention and special treatment needed

General information	If any adverse reaction or discomfort continues from any of the above exposures, seek professional medical advice.
----------------------------	--

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Water, foam, carbon dioxide (CO ₂), and dry powder.
-------------------------------------	---

5.2. Special hazards arising from the substance or mixture

General information	Products do not pose a fire hazard in use; however, some packaging materials or facings may be combustible. Products of combustion from product and packaging - carbon dioxide, carbon monoxide and some trace gases such as ammonia, nitrogen oxides and volatile organic substances.
----------------------------	--

5.3. Advice for firefighters

General information	In large fires in poorly ventilated areas involving packaging materials respiratory protection / breathing apparatus may be required.
----------------------------	---

Heraklith® Multilayer Boards with Rock Mineral Wool

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions In case of presence of high concentrations of dust, use the same personal protective equipment as mentioned in section 8.

6.2. Environmental precautions

Environmental precautions Not relevant.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Vacuum cleaner or dampen down with water spray prior to brushing up to avoid stirring up dust.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Cut using a table saw, jack saw or a circular saw. Always work with a safety guard, guide and an extraction system to ensure adequate ventilation of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Special care when removing old insulation, ensure sufficient humidification during demolition work.
Panels must be stored flat and stably in a dry, clean, swept-out room to protect them from moisture, soiling and dust.
Delivered on pallets packed in foil, edge protection, card board cover and packaging stripes.

Incompatible materials No specific material or group of materials is likely to react with the product to produce a hazardous situation.

7.3. Specific end use(s)

Specific end use(s) Thermal and/or acoustic insulation

Heraklith® Multilayer Boards with Rock Mineral Wool

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Rock Mineral Wool

Long-term exposure limit (8-hour TWA): WEL 2 fibres/ml 5 mg/m³ Machine-made mineral fibre (except for refractory ceramic fibres and special purpose fibres)

Wood Spruce

Long-term exposure limit (8-hour TWA): WEL 5 mg/m³ Softwood dust

WEL = Workplace Exposure Limit

None at European level, refer to member state guidelines and legislation.

Synthetic mineral fibre: according to work situation, refer to local legislation.

8.2. Exposure controls

Appropriate engineering controls

No specific measures.

Eye/face protection

Goggles especially if dust levels are high or working above shoulders. Eye protection to EN 166 is advised.

Hand protection

Use gloves to avoid itching in conformity with EN 388.

Other skin and body protection

Cover exposed skin. Wear loose-fitting, closed work clothing.

Hygiene measures

After contact, wash hands with cold water and soap.

Respiratory protection

Wearing a face mask type in accordance with EN 149 FFP1 is recommended when using products in confined atmosphere or during operations which can generate emission of any dust.

Heraklith® Multilayer Boards with Rock Mineral Wool

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Solid. Board/Panel
Colour	Wood Wool - Beige, grey or coloured RMW (Rock Mineral Wool) - Ochre.
Odour	Not applicable.
Odour threshold	No data available.
pH	Wood Wool - 8.5 - 10 (@ 1000g/l H ₂ O, 25°C)
Melting point	Fibre melting point > 1000 °C according to DIN 4102-17.
Initial boiling point and range	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	B or A2 according to DIN EN 13501
Upper/lower flammability or explosive limits	Not applicable.
Vapour density	Not applicable.
Relative density	Wood Wool - 350 - 700 kg/m ³ RMW (Rock Mineral Wool) - < 160 kg/m ³
Solubility(ies)	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not applicable.
Viscosity	Not applicable.
Explosive properties	Not applicable.
Oxidising properties	Not applicable.

9.2. Other information

Nominal diameter of fibres	3 - 7 µm
Length weight geometric mean diameter less 2 standard errors	≈ 6 µm
Orientation of fibres	Random

Heraklith® Multilayer Boards with Rock Mineral Wool

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity None.

10.2. Chemical stability

Stability Product will thermally decompose above 100°C

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None in normal conditions of use.

10.4. Conditions to avoid

Conditions to avoid Heating above 100°C

10.5. Incompatible materials

Materials to avoid None.

10.6. Hazardous decomposition products

Hazardous decomposition products None in normal conditions of use. Decomposition of binder above 100°C may produce carbon dioxide and some trace gases. The duration of release is dependant upon the thickness of the insulation, binder content and the temperature applied.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects The mechanical effect of fibres in contact with skin may cause temporary itching.

Carcinogenicity

Carcinogenicity Classification not applicable for this product; in accordance with European Regulation 1272/2008, note Q.

Heraklith® Multilayer Boards with Rock Mineral Wool

SECTION 12: Ecological information

12.1. Toxicity

Toxicity This product is not ecotoxic to air, water or soil, by composition.
COD (mg/l): <300 Core : <15

12.2. Persistence and degradability

Persistence and degradability Inert inorganic product with Thermo set, inert polymer based on cured phenol formaldehyde resins; 0 - 10%

12.3. Bioaccumulative potential

Bioaccumulative potential Will not bioaccumulate.

12.4. Mobility in soil

Mobility Not considered mobile. Less than 1% leachable organic carbon if landfilled.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment Not relevant.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information [17 06 04] Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
The residues are in a finely divided form as structural materials in composting.

Disposal methods Dispose of in accordance with regulations and procedures in force in country of use or disposal.

Heraklith® Multilayer Boards with Rock Mineral Wool

SECTION 14: Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not applicable.

14.4. Packing group

Not applicable.

14.5. Environmental hazards**Environmentally hazardous substance/marine pollutant**

No.

14.6. Special precautions for user

None known.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not relevant.

Not relevant.

Heraklith® Multilayer Boards with Rock Mineral Wool

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Commission Regulation (EU) No 2015/830 of 28 May 2015.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

The European Regulation on Chemicals No 1907/2006, Registration, Evaluation, Authorisation of Chemicals (REACH) enacted on June 1st 2007 requires the provision of Safety Data Sheet (SDS) for hazardous substances and mixtures / preparations.

Heraklith® products (panels, boards) are defined as articles under REACH, and therefore a safety data sheet for these products is not a legal requirement.

In accordance with industry practice and voluntary commitments, Heraklith® has decided to continue to provide its customers with the appropriate information for the purpose of assuring safe handling and use of wood wool throughout the product life.

15.2. Chemical safety assessment

Not relevant.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

ATE: Acute Toxicity Estimate.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstracts Service.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

IMDG: International Maritime Dangerous Goods.

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.

PBT: Persistent, Bioaccumulative and Toxic substance.

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.

RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.

UN: United Nations.

vPvB: Very Persistent and Very Bioaccumulative.

Heraklith® Multilayer Boards with Rock Mineral Wool

General information

All products manufactured by Knauf Insulation are made of non-classified fibres and are certified by EUCERB.

EUCERB, European Certification Board of Mineral Wool Products - www.euceb.org. The EUCERB trademark certifies that the manufactured fibres have a chemical composition within the ranges of exonerated reference fibres, which have been tested in accordance with European protocols and have been shown to be in conformity with Note Q, exoneration criteria for carcinogenicity, of the Regulation (EC) 1272/2008.

The mineral wool producers commit to EUCERB to:

- supply sampling and analysis reports established by laboratories recognized by EUCERB, proving that the fibres comply with one of the four criteria of exoneration described in Note Q,
- be controlled, twice per year, of each production unit by an independent third party recognized by EUCERB (sampling and conformity to the initial chemical composition),
- put in place procedures of internal self-control in each production unit.

Products meeting EUCERB certification requirements can be recognised by the EUCERB logo printed on the packaging.

Heraklith® is a registered trade mark of Knauf Insulation.

Further information can be obtained from

www.euceb.org www.heraklith.com



Further product information can be obtained from

info@heraklith.com

Revision comments §1 [DE], §13

Supersedes date 03/03/2017

Revision date 05/10/2018

Revision 5.1

SDS number KI_DP_405

Product Families Fibraroc A Forta

Other information In 2001, the International Agency for Research on Cancer (IARC) reclassified rock mineral wool fibres from Group 2B (possibly carcinogenic) to Group 3 «agent which cannot be classified as for their carcinogenicity to humans». (See Monograph Vol 81, <http://monographs.iarc.fr/>)

This Safety Data Sheet / Product Data Sheet does not constitute a workplace assessment. Information contained in this document represents the state of our knowledge regarding this product as of the date of issue of the document. Attention of users is drawn to possible risks taken when the product is used for other applications than the ones it has been designed for.